

2019
CITY OF COCOA
**ANNUAL WATER
QUALITY REPORT**



Conserve



PWS ID#: FL 3050223
Claude H. Dyal
Water Treatment Plant
351 Shearer Blvd.,
Cocoa, FL 32922

Drop Savers Poster Contest Artwork by
Kaitlyn Sollberger, Edgewood Jr/Sr High School

A Word From Our Utilities Director

The 2019 Water Quality Report contains detailed information about your drinking water and the steps we take to ensure its safety. It includes the results of the sampling and testing we conducted between January 1, 2019 and December 31, 2019.

I am proud to work with dedicated professionals who truly appreciate the responsibility of treating and delivering high-quality, great-tasting water, 24 hours a day, 365 days a year, today and for generations to come.

Our primary source of water is from the Intermediate and Floridan Aquifers, a well-protected ground water source located hundreds of feet underground.

We supplement our groundwater supply with surface water drawn from the Taylor Creek Reservoir. The Taylor Creek Reservoir is located three miles from the Claude H. Dyal Water Treatment Plant. It was constructed in the 1960s as part of the original federal Central and Southern Florida Flood Control Project.

Our state certified water lab conducts thousands of chemical and bacteriological water quality tests each year. Our lab technicians test for more than 135 regulated and unregulated substances including lead and copper. A summary of that testing is included in this report.

John A. Walsh, P.E.
Utilities Director



How to Obtain a Copy of This Report

This water quality report, also known as a Consumer Confidence Report, is produced annually in accordance with both federal and state requirements.

This report will be mailed to customers only upon request by calling (321) 433-8705. It is also available at Cocoa City Hall, 65 Stone St., Cocoa, FL 32922 and all public libraries in our water service area. For more information about this report, for questions relating to your drinking water, or for additional hard copies of this report, please view www.cocoafll.org/waterqualityreport, call (321) 433-8705, or email ddownloads@cocoafll.org.

You can obtain additional information from the EPA at their Safe Drinking Water Hotline (800-426-4791).

Cocoa Water

Providing clean, safe, reliable drinking water since 1927

Whenever you enjoy a cool, refreshing drink of Cocoa's great-tasting water, you can feel secure that Cocoa's water meets all federal and state requirements for drinking water. The Cocoa Utilities Department is pleased to have the opportunity, with this Water Quality Report, to present to you information about our excellent water and the services that we provide.

Cocoa provides water to approximately 85,000 connections in Cocoa, Rockledge, Port St. John, Merritt Island, Cape Canaveral, Cocoa Beach, Suntree/Viera, Patrick AFB, and the Kennedy Space Center; serving a population of about 250,000.

The Cocoa Utilities Department is dedicated to providing our customers with premium drinking water and professional service. Our facilities are staffed with state-certified professionals to ensure that your drinking water is reliable and meets all safe drinking water standards.

As part of our commitment to excellence, we perform continuous testing and monitoring of your drinking water from our raw water supply, through the treatment process at our Dyal Water Treatment Plant (WTP), until it's delivered to your home.

The Cocoa Utilities Department values the trust you put in us every day and we are grateful for your support throughout the year.

Water Supply Sources

The quality of your water is our primary concern

Groundwater Treatment

Cocoa's primary water source is groundwater pumped from the Intermediate and Floridan Aquifers. Cocoa has supplied central Brevard County with high quality drinking water since 1957. Our drinking water system processed just over 7.48 billion gallons of water last year, with a peak flow of 25.29 million gallons per day (MGD) during the month of May. The Average daily flow was 20.31 MGD during 2019. Cocoa supplements its ground water supply with surface water from the Taylor Creek Reservoir and Aquifer Storage and Recovery (ASR) wells. In 2019, The Dyal WTP treated 6.26 billion gallons of groundwater and 1.19 billion gallons of surface water. The Dyal WTP injected 64.1 million gallons into the ASR wells and recovered 90.4 million gallons of water.

Groundwater treatment begins when raw water from our wellfields is pumped to our water treatment facility, the Claude H. Dyal Water Treatment Plant. The plant operates 24 hours a day, seven days a week to meet the needs of our water customers.

Ground water enters the plant where chlorine, lime, soda ash, and coagulant are added to remove hardness and suspended solids. Fluoride is then added to the water in accordance with the Environmental Protection Agency/Center For Disease Control guidelines. Carbon dioxide is added to reduce the pH and to stabilize the water. Chloramination is used to disinfect the water after it passes through filters containing sand and anthracite coal and enters the clearwell. Turbidity (cloudiness) is constantly measured at each filter.

Surface Water Treatment

The Dyal WTP is unusual for Central Florida because it can treat both ground and surface water. Water from the Taylor Creek Reservoir is a supplemental source for Cocoa's water supply.

Surface water requires a different type of treatment. After surface water enters the plant, ferric sulfate, hydrated lime, and a polymer are



added. Ozone is injected into clarified water for disinfection, taste and odor removal. After adding ozone, the water is treated with hydrated lime, carbon dioxide, chlorine and ammonia before passing through sand and anthracite coal filters. Turbidity is constantly measured at each filter.

The surface water treatment plant was built alongside the existing ground water treatment plant and came on-line in October 1999. Water from both processes is blended and then pumped into storage tanks before it is sent into the distribution system and to your home or business.

Aquifer Storage and Recovery (ASR) Wells

Cocoa has 10 ASR wells at the Dyal Water Treatment Plant for the storage of finished, treated water. This is a system of wells that stores finished water safely underground. During periods of high demand, this high quality water can be pumped to the head of the plant or to the ground storage tanks.

Source Water Assessment

The Florida Department of Environmental Protection (FDEP) began conducting a statewide assessment of drinking water systems in 2004. The Source Water Assessment Program provides local leaders, water suppliers, and citizens with the information necessary to protect public drinking water sources from contamination.

Ground Water

In 2019 the Florida Department of Environmental Protection performed a Source Water Assessment on our system. The assessment was conducted to provide information about any potential sources



of contamination in the vicinity of our wells. FDEP identified 27 unique sources of contamination with a range of low to moderate risk. The assessment results are available on the FDEP Source Water Assessment and Protection Program website at <https://fldep.dep.state.fl.us/swapp/> or they can be obtained by contacting the Conservation/Public Relations Officer at (321) 433-8705, or emailing ddowns@cocoafl.org.

Surface Water

In 2019, the Florida Department of Environmental Protection performed a Source Water Assessment on our system. The assessment was conducted to provide information about any potential sources of contamination in the vicinity of our surface water intakes. The surface water system is considered to be at high risk because of the many potential sources of contamination present in the assessment area. The assessment results are available on the FDEP Source Water Assessment and Protection Program website at <https://fldep.dep.state.fl.us/swapp/> or they can be obtained by contacting the Conservation/Public Relations Officer at (321) 433-8705, or emailing ddowns@cocoafl.org.

Water Field Operations Division

Clean, safe drinking water involves constant maintenance and repair

Protecting and maintaining water distributions systems is crucial to ensuring high quality drinking water. Distribution systems consist of pipes, pumps, valves, storage tanks, reservoirs, meters, fittings, and other hydraulic accessories. The distribution system carries drinking water from our treatment plant to our customer's taps. There are over 1,300 miles of pipe in the Cocoa Utilities distribution system. Maintaining this distribution system is the primary mission of our Water Field

Operations Division, 24 hours a day, 365 days a year.

The Water Field Operations Division:

- Constructs, maintains, and repairs the water transmission and distribution system (over 1,321 miles of pipe, from 2 inches up to 54 inches in diameter, over 85,00 service lines and meters sized from ¾ inches up to 10 inches in diameter)
- Manages the city's backflow prevention and cross connection control programs
- Maintains over 6,424 fire hydrants and all valves and backfills preventers
- Relocates city-owned water facilities due to road and bridge work, stormwater pipe repair, new building construction and other construction related activities
- Installs, rebuilds or replaces, and calibrates over 85,000 meters throughout the water system



Cocoa Utilities Department Capital Improvement Program

Clean, safe drinking water involves sustained investment

No resource is more critical than water and the infrastructure that delivers it. We cannot exist without water systems that safely and reliably deliver water to our taps. Of all the infrastructure that we, as a community must maintain, none is more important than a reliable water network that receives regular investment and is continually improved.

The Cocoa Utilities Department's Capital Improvement Program (CIP) was developed to provide a perspective of the utility's long-term capital needs. The CIP is a planning process used to identify, quantify and assess capital improvement needs over a five-year horizon.

The focus of the CIP is to preserve and improve the water system infrastructure while ensuring the efficient use of public funds. The following are some recent or ongoing CIP projects:

Claude H. Dyal Water Treatment Plant Chemical & Reliability Improvements (CCRIP)

Project Scope: This project involves the conversion of chlorine gas and anhydrous ammonia to sodium hypochlorite and ammonium sulfate as well as the construction of a new redundant high service pumping facility, new redundant water distribution main, plant site improvements and a new maintenance/training building.

Budget Amount: \$20,343,146

Schedule: Construction underway. Estimated completion in winter 2021

Pineda Water Main Crossing

Project Scope: Installation of 17,000 feet of 16-inch pipe across the Indian River, Merritt Island, and the Banana River near the Pineda Causeway to provide hydraulic and water quality improvements. Cocoa and Melbourne are working together to build two, parallel, 16-inch water mains. Design completed.

Budget Amount: \$1,069,266 (Design)

Schedule: Currently in the Permitting Phase, Total project cost and construction estimated at \$11,000,000

Fiske Boulevard Water Main

Project Scope: This will be a joint project between the City of Cocoa's Utilities and Public Works Departments. It involves the replacement of asbestos cement water main with approximately 2,888 feet of new PVC water main. Additional improvements include the installation of new fire hydrants, new service lines with meters and backflow preventers.

Budget Amount: \$860,879

Schedule: Design complete. Construction anticipated to begin in winter 2020

Claude H. Dyal Water Treatment Plant Groundwater Filters 1 & 4 Rehabilitation

Project Scope: This project involves the rehabilitation of two groundwater filters at the Dyal Water Treatment Plant. It includes the replacement of the underdrain caps and filtration media and re-coating of filter walls.

Budget Amount: \$569,880

Schedule: Construction underway. Estimated completion in fall 2020

Marlin Manor & Pluckebaum Road Water Main Improvements

Project Scope: The water mains in the Marlin Manor subdivision and Revilla Manor neighborhoods in Rockledge were originally installed in 1967. They are nearing the end of their useful service life. This project involves the replacement of 7,000 feet of water main in the Marlin Manor subdivision, 1,500 feet of water main in Revilla Manor, and 6,800 feet of water main along Pluckebaum Road. Additional improvements include the addition of new fire hydrants, new service lines with meters and backflow preventers.

Budget Amount: \$2,100,000

Schedule: Design Complete. Currently in the permitting phase. Construction to be determined



Water Quality

Clean, safe drinking water involves continuous monitoring

Continuing Our Commitment

Cocoa's Claude H. Dyal Water Treatment Plant routinely monitors for contaminants in your drinking water according to Federal and State Laws, rules, and regulations. This report is based on the results of our monitoring for the period of January 1, 2019 through December 31, 2019. Any data that was obtained before January 1, 2019 and presented in this report are from the most recent testing performed in accordance with the laws, rules, and regulations. Our NELAC (National Environmental Laboratory Accreditation Conference) certified laboratory analyzes water quality throughout the treatment process and distribution system to ensure safe drinking water is delivered to our customers. We remain vigilant in meeting the challenges of source water protection, water conservation, and community education while continuing to serve the needs of all of our water users.

Community Involvement is Encouraged

Interested customers are welcome to attend Cocoa's regularly scheduled Council meetings held on the second and fourth Wednesday of every month. Please contact the City Clerk at (321) 433-8488 to confirm day, time, and location of the meeting, or check the calendar of events at www.cocoafl.org.

The Utilities Advisory Board meets quarterly (January/April/July/October), on the fourth Tuesday at 6:00 p.m. in the City Council Chambers. The Utilities Advisory Board advises the City Council on matters relating to utility subjects. Please contact the City Clerk at (321) 433-8488 to confirm day, time, and location of the

meeting or check the calendar of events at www.cocoafl.org.

Questions?

For information about water quality or questions about this report, or to obtain paper copies of this report call (321) 433-8705 or email ddowns@cocoafl.org.

Water Quality Testing Results

Definitions

In the following table you may find unfamiliar terms and abbreviations. To help you better understand these terms we've provided the following definitions:

Maximum Contaminant Level or MCL: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or MCLG: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Initial Distribution System Evaluation

(IDSE): An important part of the Stage 2 Disinfection By-Products Rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system locations with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their Stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

Locational Running Annual Average

(LRAA): The average of sample analytical results for samples taken at a particular monitoring location during the previous four calendar quarters.

Maximum residual disinfectant level or

MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal

or MRDLG: The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Million fibers per liter (MFL): Measure of the presence of asbestos fibers that are longer than 10 micrometers.

Millirem per year (mrem/yr): Measure of radiation absorbed by the body.

Nephelometric Turbidity Unit (NTU):

Measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

“ND”: Means not detected and indicates that the substance was not found by laboratory analysis.

Parts per billion (ppb) or Micrograms per

liter (µg/l): One part by weight of analyte to 1 billion parts by weight of the water sample.

Parts per million (ppm) or Milligrams per

liter (mg/l): One part by weight of analyte to 1 million parts by weight of the water sample.

Parts per quadrillion (ppq) or Picograms

per liter (picograms/l): One part by weight of analyte to 1 quadrillion parts by weight of the water sample.

Parts per trillion (ppt) or Nanograms per

liter (nanograms/l): One part by weight of analyte to 1 trillion parts by weight of the water sample.

Picocurie per liter (pCi/L): Measure of the radioactivity in water.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

2019 WATER QUALITY TEST RESULTS

MICROBIOLOGICAL CONTAMINANTS

Contaminant and Unit of Measurement	Dates of sampling (mo./yr.)	MCL Violation Y/N	Highest Single Measurement	Lowest Monthly Percentage of Samples Meeting Regulatory Limits	MCLG	MCL	Likely Source of Contamination
¹ Turbidity (NTU)	2019 (Daily)	No	0.32	100	N/A	TT	Soil Runoff

² RADIOACTIVE CONTAMINANTS

Contaminant and Unit of Measurement	Dates of sampling (mo./yr.)	MCL Violation Y/N	⁵ Level Detected	Range of Results	MCLG	MCL	Likely Source of Contamination
Alpha emitters (pCi/L)	2019 (Monthly)	No	3.6	ND-3.6	0	15	Erosion of natural deposits
Radium 226 + 228 [Combined Radium] (pCi/L)	2019 (Monthly)	No	1.2	ND-1.2	0	5	Erosion of natural deposits

² INORGANIC CONTAMINANTS

Contaminant and Unit of Measurement	Dates of sampling (mo./yr.)	MCL Violation Y/N	⁵ Level Detected	Range of Results	MCLG	MCL	Likely Source of Contamination
Barium (ppm)	03/19	No	0.0077	N/A	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
Fluoride (ppm)	03/19	No	0.594	ND-0.594	4	4.0	Erosion of natural deposits; discharge from fertilizer and aluminum factories. Water additive which promotes strong teeth when at the optimum level of 0.7 ppm
Nitrate (as Nitrogen) (ppm)	03/19	No	0.300	ND-0.300	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Sodium (ppm)	03/19	No	77.4	N/A	N/A	160	Salt water intrusion, leaching from soil

³ STAGE 1 DISINFECTANTS AND DISINFECTION BY-PRODUCTS

Disinfectant or Contaminant and Unit of Measurement	Dates of sampling (mo./yr.)	MCL Violation Y/N	⁵ Level Detected	Range of Results	MCLG Or MRDLG	MCL	Likely Source of Contamination
Bromate (ppm)	2019 (Quarterly)	No	3	ND-9.05	MCLG = 0	MCL = 10	By-product of drinking water disinfection
Chloramines (ppm)	2019 (Quarterly)	No	2.63	0.60-4.10	MRDLG = 4	MRDL = 4.0	Water additive used to control microbes

Contaminant and Unit of Measurement	Dates of sampling (mo./yr.)	TT Violation Y/N	⁴ Level Detected	Range of Monthly Removal Ratios	MCLG	MCL	Likely Source of Contamination
Total Organic Carbon	2019 (Quarterly)	No	1.5	1.1-1.7	N/A	TT	Naturally present in the environment

⁶ STAGE 2 DISINFECTANTS AND DISINFECTION BY-PRODUCTS

Contaminant and Unit of Measurement	Dates of sampling (mo./yr.)	MCL Violation Y/N	⁵ Level Detected	Range of Results	MCLG	MCL	Likely Source of Contamination
Haloacetic Acids (HAA5) (ppb)	2019 (Quarterly)	No	51.7	21.7-77.7	N/A	60	By-product of drinking water disinfection
Total Trihalomethanes (TTHM) (ppb)	2019 (Quarterly)	No	55.1	17.0-84.1	N/A	80	By-product of drinking water disinfection

LEAD AND COPPER (Tap water samples were collected from sites throughout the community)

Contaminant and Unit of Measurement	Dates of sampling (mo./yr.)	AL Violation Y/N	90 th Percentile Result	No. of sampling sites exceeding AL	MCLG	AL (Action Level)	Likely Source of Contamination
Copper (tap water) (ppm)	07/17	No	0.035	0	1.3	1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Lead (tap water) (ppb)	07/17	No	2.2	1	0	15	Corrosion of household plumbing systems; erosion of natural deposits

Footnotes:

1. The result in the lowest monthly percentage column is the lowest monthly percentage of samples reported in the Monthly Operating Report meeting the required turbidity limits. Turbidity is a measure of the cloudiness of the water. We monitor it because it is a good indicator of the effectiveness of our filtration system. High turbidity can hinder the effectiveness of disinfectants.
2. Results in the Level Detected column for radioactive, inorganic contaminants, and unregulated contaminants are the highest average at any of the sampling points or the highest detected level at any sampling point, depending on the sampling frequency.
3. For Chlorine and Bromate, the Level Detected is the highest running annual average (RAA), computed quarterly, of monthly averages of all samples collected. All of the 2019's TTHM and HAA5 samples were collected under "Stage 2 Disinfectants and Disinfection By-Products". Range of Results is the range of individual sample results (lowest to highest) for all monitoring locations.
4. The monthly TOC removal ratio is the ratio between the actual TOC removal and the required TOC rule removal requirements.
5. Results in the Level Detected column for radioactive, inorganic contaminants, and unregulated contaminants are the highest average at any of the sampling points or the highest detected level at any sampling point, depending on the sampling frequency.
6. Stage 2 Disinfectants and Disinfection By-Products includes results from 2018 for LRAA calculation. Level Detected is the highest Locational running annual average (LRAA) for any given sample location during 2019. Range of Results is the range of individual sample results (lowest to highest) for all monitoring locations for 2019.

Water Quality Parameter Violation

In July and August of 2019 Cocoa Utilities issued a Public Notice about violating a drinking water requirement. We routinely monitor your water for water quality parameters (WQPs) like pH, alkalinity, calcium, etc. This data tells us whether the corrosion control is adjusted properly. It is considered a Treatment Technique Violation of the federal Lead and Copper Rule if a water system operates with WQPs outside of its recommended optimal range for more than nine days. From December 2018 thru June 2019 our system's alkalinity was outside the recommended optimal range for more than nine days; this indicated that the corrosion control needed to be adjusted. In response, we adjusted the treatment on June 21, 2019 and the WQP was returned to within its

recommended optimal range on June 22, 2019. Maintenance of our soda ash system, which is used in our treatment process to increase alkalinity in our water, caused the deviation from the standard.

Monitoring and reporting (M/R) of compliance data violation

In January 2019 the Cocoa Utilities Dept. submitted bacteriological test results to the Florida Department of Environmental Protection (FDEP). Unfortunately, the file was corrupted and had to be resubmitted. As a result, the report was late which is a reporting violation under the Safe Drinking Water Act. This violation has no impact on the quality of the water our customers received, and it posed no risk to public health.

EPA Information

Cryptosporidium in Drinking Water

Cryptosporidium is a microbial parasite found in surface water throughout the United States. We detected Cryptosporidium in the untreated surface water. We detected this contaminant in two out of 25 samples tested in 2006 through 2008. Although filtration removes Cryptosporidium, the most commonly used filtration methods cannot guarantee 100% removal. Ozone is a powerful disinfectant that effectively destroys Cryptosporidium. The City of Cocoa ozonates all surface water before it is filtered to ensure the highest possible removal rate.

The City of Cocoa sampled Taylor Creek Reservoir for Cryptosporidium in accordance with Florida Department of Environmental Protection (FDEP)'s Long Term 2 (LT2) Enhanced Surface Water Treatment rule. This rule requires that the city sample for Cryptosporidium to provide a baseline for the amount of Cryptosporidium in Taylor Creek Reservoir. This baseline will be used by the EPA to increase treatment techniques or allow established techniques to continue to treat the surface water. Compliance sampling began in October 2006 and ended in October 2008. We began testing for LT2 compliance again in March, 2015 and completed sampling in March, 2017.

We believe it is important for you to know that Cryptosporidium may cause serious illness in immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders. These people should seek advice from their health care providers.

Lead and Drinking Water

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Cocoa Utilities Department is responsible for providing high quality drinking water but cannot control the variety of materials used in plumbing

components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at www.epa.gov/safewater/lead.

Contaminants that may be present in the source water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- A. Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- B. Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- C. Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- D. Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.
- E. Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

To ensure that tap water is safe to drink, the EPA prescribes regulations, which limit the amount of

certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Important Health Information

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Water Conservation

Protecting a precious resource by reducing use, using efficiently, and preserving quality

4 Reasons Why Water Conservation is Important to Everyone

Reason #1: It minimizes the effects of drought and water shortages. Even though our need for fresh water sources is always increasing because of population and industry growth, the supply we have stays constant. Even though water eventually returns to Earth through the water cycle, it's not always returned to the same spot, or in the same quantity and quality. By reducing the amount of water we use, we can better protect against future drought years.

Reason #2: Using less water keeps money in your pocket. By utilizing basic water conservation techniques you are able to save thousands of gallons of water each year. You can make a difference and save money.

Reason #3: Conserving water can also save energy. Energy is required to run the equipment that treats and pumps the water from water treatment plant into your home or office. So saving water means using less energy which reduces your carbon footprint and helps the country become more energy independent.

Reason #4: Saving water helps to preserve our environment. Reducing our water usages reduces the energy required to process and deliver it to homes, businesses, farms, and communities, which, in turn, helps to reduce pollution. In some cases, using excess amounts of water puts a strain on septic and sewage systems.

Water conservation measures are an important first step in protecting our water supply. Such measures help to preserve the supply of our source water and also save you money by reducing your water bill.

Other ways that you can help conserve water can be found at www.cocofl.org/conservation, www.sjrwmd.com/water-conservation/ or <http://water.epa.gov/action/protect/>.



Drop Savers Poster Contest Winner, Division 3 (Fourth and Fifth Grade): Aaden Bonnet, 5th Grade, Andersen Elementary School



Division 1 (Kindergarten and First Grade):
Tyler Lin, 1st Grade, Andersen Elementary School



Division 2 (Second and Third Grade):
Miracle Williams, 2nd Grade, Andersen Elementary School



Division 4 (Middle School: Six, Seven and Eighth Grade):
Naomi Williams, Andersen Elementary School

Cocoa City Council

Jake Williams, Jr.
Mayor

Alex Goins
Deputy Mayor - District 1

Brenda Warner
Councilperson - District 2

Don Boisvert
Councilperson - District 3

Lorraine Koss
Councilperson - District 4

Utilities Staff

John A. Walsh, P.E.
Director

Katherine Ennis, P.E.
Deputy Director

Chris Collier
Assistant Director

Don Downs
Conservation/PR Officer

For more information contact Don Downs at
(321) 433-8705 or ddowns@cocoafl.org.



Stay Connected with the City of Cocoa:
www.CocoaFL.org or www.CocoaWaterWorks.com